Cumulative Index 1990

Volume 8

March Obstetric Anesthesia, pages 1–222
June Postanesthesia Care Unit Problems, pages 223–440
September Hemorrhagic Disorders, pages 441–630
December Preanesthetic Assessment, pages 631–912

Note: Page numbers of issue and article titles are in boldface type.

Abnormal presentation, complications of, 115–120

Acidosis, in chronic renal failure, 687–688 lactic, cancer-related, 870 metabolic, in acute renal failure, 693

metabolic, in acute renal failure, 693
Acquired immunodeficiency syndrome
(AIDS), 881–895. See also entries under Human immunodeficiency virus
(HIV) infection.

anesthetic management of, 892–893 classification system in, 191 clinical manifestations of, 886 clinical syndromes associated with, 885– 889

definition of, 191 description of, 883—884 diagnostic tests for, 191 epidemiology of, 189—190, 882 historical background, 881—882

impact on pregnant patients and fetuses, 189-202

monitoring in, 893 natural history of, 191–192 pathophysiology of, 190–192 pediatric, 889 perinatal, economic concerns of, 198–199

preanesthetic assessment, 721, 891–892 risk factors for, 884–885 risk to health care workers, 890–891

transfusion-related, 504-506 transmission modes, 884

treatment for, 889-890 universal precautions for, 893-894 Activated clotting test (ACT), in coagulation monitoring, 493

Acute respiratory disease, patients with, surgery for, preanesthetic assessment, 668

Adenopathy, AIDS-related, 888 Administration and staffing, of PACU, 223– 233

role of LPNs, 225–226 role of medical director, 223–224 role of nurse manager, 224 role of orderlies, 226

nurse-patient ratio, 228-229

role of staff nurse, 224–225 standards of care, 227–228 Adrenal gland, preanesthetic assessment,

706–709 in cancer patients, 874–875 α-Adrenergic blockade, in endocrine dis-

ease, 700–701 Adults, children and, anatomic and physiologic differences, 759–767

pharmacologic differences, 768–769
AIDS. See Acquired immunodeficiency syndrome.

Airway, evaluation and maintenance, in multiple trauma victims, 814–815

Airway obstruction, in PACU, 300–301 postoperative, in children, 323–326

Alcohol, abuse of, patients of, 829–833 preanesthetic assessment, 830–833 metabolism of, 829–830

Alfentanil, for pain management in PACU, 409

Alfentanil (Continued) for reducing labor pain, 48 Alphaprodine, for reducing labor pain, 45–

Alphaprodine, for reducing labor pain, 45– 46

Ambulatory surgery. See Outpatient surgery.

patient selection, 802-803

patients requiring, preanesthetic assessment, 801-809

problems associated with, 804-808

preoperative evaluation, 803–804 preoperative testing, 804

procedures, 801-803 quality assurance in, 808

utilization review in, 808

1-D-Amino–8-arganine vasopressin (DDAVP), for von Willebrand's disease, 489

Analgesia, patient-controlled, in labor, 49-50

for postcesarean section pain, 167–168 systemic, in labor, 43–54

Analgesics, opiates as, 159-160 systemic, for acute pain, 854-856

Anemia, in acute renal failure, 693 cancer-related, 868-869

in chronic renal failure, 684-686

isovolemic, patients with, surgery for, hemoglobin requirements, 474–475

normovolemic, acute, cardiovascular adjustments during, 455–458

regional blood flow responses during, 459-463

tissue oxygen delivery during, 458–459 in perioperative period, 621 in peripheral vascular disease, preanes-

thetic assessment, 654

physiology, 451–469 Anesthesia, as cause of nausea and vomiting in PACU following outpatient surgery, 410–411

for cesarean section, 77-93. See also Cesarean section, anesthesia for.

for complicated vaginal deliveries, 115-129

effect on fluid-electrolyte balance, 277 effects on HIV-related disease, 196–197 epidural, for cesarean section, 86–88

for labor and delivery, 55-75. See also Labor, and delivery.

lumbar, for preeclamptic patients, 107-108

for fetal surgery, 139

general, for cesarean section, complications of, 176–178

in preeclamptic patients, 109-110 in outpatient surgery, 405-408

hypotensive, 445

local, for acute pain, 856-858 with epinephrine, for labor pain, 68-69 for labor pain, 66. See also Anesthetics, local, in obstetrics.

obstetric, issue on, 1-222. See also Obstetric anesthesia.

in outpatient surgery, 400–408 patient evaluation, 400–401 techniques, 401–408

for patients with preeclampsia, 95–114 See also *Preeclampsia*.

for postpartum complications, 143–155 for pregnant patients undergoing nonobstetric surgery, 131–142

problems related to, in children, 323–353 regional, for cesarean section, 83–84 complications of, 174–176

in preeclamptic patients, 108 sedation during, 89

for labor and delivery, obstetric recovery room follow-up, 314–315 in outpatient surgery, 401–404

in outpatient surgery, 401–404 for postoperative pain relief, in children, 345–348

residual effects of, in PACU, 247–248 spinal, for cesarean section, 85–86 spinal versus epidural, and hypotherm

spinal versus epidural, and hypothermia, 367 for in vitro fertilization, 139–140

Anesthesia care, blood loss in, 441–449 Anesthetics, local, differential blockade by, 1–4

effects on fetus, neurobehavioral studies, 16–18

impulse blockade by, 1 in obstetrics, adverse effects, 18–20 drug alterations, 15–16

effects on fetus, 16–18 epinephrine with, 11–14 lipid solubility of, 8–9

narcotics, 21 pH alteration, 14–15

pharmacologic aspects of, 1–25 protein binding of, 9–11

recent developments in, 20–21 toxic reactions, management of, 20 prevention of, 19–20

physicochemical properties, 6–7, 8–11 in pregnancy, H₂-antagonists, 15–16 structure-activity relationship, 5–8

Aneurysm, arterial vasospasm following, PACU care, 362

cerebral, preanesthetic assessment, 790 Angina pectoris, classification of, 636–637 preanesthetic assessment, 632

Angiography, nuclear, in preanesthetic assessment in cardiac disease, 641–643 Antibiotics, for infection in PACU, 390

Apnea, postoperative, in former premature infants, 330-331

Arteriovenous malformations, preanesthetic assessment, 792

Aspiration, as cause of hyperthermia in PACU, 393

following cesarean section, 178

following general anesthesia for cesarean section, 177-178

gastric, in preanesthetic assessment in gastrointestinal disease, 713–715 in multiple trauma victims, 825

during pregnancy, factors leading to, 80-82

pulmonary, postoperative, in children, 329-330

Aspiration pneumonia. See *Pneumonia*, aspiration.

Asthma, patients with, surgery for, preanesthetic assessment, 664-668

Atelectasis, following cesarean section, 178 Atherosclerosis, description of, 647

outcome studies, 648

Atony, anesthetic management of, 151–154 Atropine, as cause of hyperthermia in PACU, 390–391

Autotransfusion, of unprocessed salvaged blood, 561–562

AZT, for AIDS, 890

Back pain, low, 860–862
Backache, epidural analgesia for labor and delivery as cause of, 72
Bacteria, transfusion-related, 507
Barbiturates, for reducing labor pain, 50
Behavior, pain-related, definition, 237
Benzodiazepines, for reducing labor pain, 50
Biliary tract, diseases of, preanesthetic assessment, 721–724

Birth canal, lacerations of, anesthetic management of, 149

Bleomycin, as cause of pulmonary fibrosis, 876

Blocks, high, epidural analgesia for labor and delivery and, 71

inadequate, epidural analgesia for labor and delivery and, 71-72

Blood, autologous, testing of, 535 transfusion of, 535

donated, routine tests performed on, 503 postoperative replacement, in children, 339–341

preanesthetic assessment, in alcoholics, 832–833

utilization of, in transfusion activity, 524–525

whole, viscoelastic tests, 493-494

Blood components, replacement of, during anesthesia, in children, 782

Blood donation, autologous, 534-536

Blood flow, uterine, catecholamine levels and, in epidural anesthesia for labor and delivery, 57–58

Blood flow responses, regional, during normovolemic anemia, 459-463

Blood pressure, in children, normal values, 336

Blood products, reactions to, as cause of hyperthermia in PACU, 392

Blood salvage, with autologous transfusion, 544-545

perioperative, 536–537, **556–563** advantages and limitations of, 562–563 unprocessed blood, autotransfusion of,

561-562 Blood urea nitrogen (BUN), in preanesthetic assessment in cardiac disease, 639

Body composition, 268-269 in children, 337-338

Body temperature, regulation of, 379 during anesthesia, in children, 780 mechanisms of, 365–366

postoperative, in children, 342–344 Bowel, disorders of, preanesthetic assessment, 718–719

Brain tumors, preanesthetic assessment, 873 Breech delivery, anesthetic management of, 117-120

Breech presentation, anesthetic management, 749-750

Bupivacaine, for cesarean section, 88 epinephrine with, in obstetric anesthesia, 11–14

for labor pain, 66

NaHCO₃ with, in obstetric anesthesia,

in obstetric anesthesia, adverse effects, 18 for pain management in PACU, 409 plasma concentrations of, 12 Buprenorphine, for acute pain, 858

Butorphanol, for labor pain, 48–49 for pain management in PACU, 409 for postoperative pain in PACU, 253

Cancer, brain metastases, preanesthetic assessment, 873

hematologic effects of, 868–870 indirect effects of, 868

metabolic effects of, 870-871 pain related to, causes, 848

patients with, palliative care of, 877–878 preanesthetic assessment, 867–879 symptoms of, 877–878

Candidiasis, oral, AIDS-related, 887

Carcinoid syndrome, preanesthetic assessment, 719–721

Cardiac disease. See Heart disease.

Cardiac output, during acute anemia, 455-458

Cardiopulmonary bypass, hypothermic, recovery room treatment, 373-374

Cardiorespiratory system, preanesthetic assessment, in alcoholics, 831-832

Cardiovascular function, postanesthetic problems of, in children, 334–338

Cardiovascular system, anatomic and physiologic differences between children and adults, 759–763

effect of anesthesia on, in pregnant patients undergoing nonobstetric surgery, 132

effects of postanesthetic hypothermia on, 368

of neurosurgical patients, PACU assessment, 355-358

preanesthetic assessment, in heroin abuse patients, 838

in multiple trauma victims, 820 Catecholamine levels, and uterine blood flow, in epidural anesthesia for labor and delivery, 57-58

Central nervous system, anatomic and physiologic differences between children and adults, 766–767

dysfunction of, AIDS-related, 888 effect of anesthesia on, in pregnant patients undergoing nonobstetric surgery, 132–133

evaluation of, in multiple trauma victims, 820–824

nociceptive impulses in, and postoperative pain, 158-159

physiologic changes in, during pregnancy, 749

preanes thetic assessment, in alcoholics, 830–831

in cancer patients, 872-873 in heroin abuse patients, 839

Cervical suture, recovery room care following, 315-316

Cesarean section, anesthesia for, 77-93 aspiration prophylaxis, 80-82 epidural, 86-88

fluid administration prior to, 82-83 general, 89-91

complications of, 90-91 indications for, 89

left uterine displacement, 79-80 local, 91-92

monitoring techniques, 78–79 in preeclamptic patients, 108–111

premedication, 77–78 regional, 83–84

sedation during, 89 spinal, 85–86

complications of, 173-187 postoperative, 180-185

postpartum, 178-180

in the recovery room, 174-178 general anesthesia, 176-178

regional anesthesia, 174–176

monitoring equipment for, in the recovery room, 174

obstetric anesthesia team in, 173 Chemotherapy, cancer-related, side effects

of, 875–877

Chest, trauma to, preanesthetic assessment, 816

Children. See also Infant; Neonates. adults and, anatomic and physiologic differences, 759–767

pharmacologic differences, 768–769 anesthesia in, blood component replacement in, 782

equipment for, 779-780

fluid and electrolyte balance during, 781

induction of, 780-781 problems related to, 236

technique, 779

temperature regulation during administration of, 780

congenital heart disease in, preanesthetic assessment, 773–774

endotracheal intubation in, 333–334 postanesthetic problems of, blood replacement, 339–341

cardiovascular, 334–338 delayed awakening, 344–345 management, 323–353

nausea and vomiting, 341–342 pain, management, 345–348 psychological problems, 344

replacement fluid theapy, 338-339 respiratory, 323-334

temperature regulation, 342-344 postoperative pain relief for, 345-348

preanesthetic assessment, **759–784** fasting in, **779** preanesthetic interview in, **769**

psychologic preparation, 776–777 premedication in, 777–778

preoperative evaluation, 769–771 respiratory disease in, preanesthetic assessment, 774–776

Chloroprocaine, for labor pain, 66 in obstetric anesthesia, adverse effects, 19 2-Chloroprocaine, for cesarean section, 88

Christmas disease, patients with, intraoperative hemorrhage in, 489–490

Circulatory system, preanesthetic assessment, in multiple trauma victims, 816– 820

Clot lysis, disorders of, preanesthetic assessment, 737 in hemostasis, 730–731

Coagulation, intravascular, diffuse, 490

monitoring of, 490-493

Coagulation cascade, disorders of, preanesthetic assessment, 736–737 in hemostasis, 728–730

testing of, 732-733

Coagulation function, abnormalities of, preoperative and intraoperative, 487–490 of blood products, 487 effect of acute hemodilution on, 551–553

mechanisms, 481-487

in the operating room, 481–499 whole blood viscoelastic tests in, 493–494 Coagulopathy, in alcoholics, 832–833

cancer-related, 869

in chronic renal failure, 685–686 postoperative hypothermia and, 369–370 preanesthetic assessment, 723, **727–740** treatment, 494–495

Cocaine, abuse of, chronic, medical problems associated with, 835–836 patients of, 833–836

preanesthetic preparation, 836 characterization of, 833–835

street names for, 833

Codeine, for acute pain, 855 for postoperative pain in the PACU, 250– 252

Complete blood count (CBC), in preanesthetic assessment in cardiac disease, 639

Component transfusion therapy, 520–522 Conduction, definition of, 365

Congenital heart disease, in children, preanesthetic assessment, 773-774

Congestive heart failure (CHF), preanesthetic assessment, 632

Convection, definition of, 365

Coronary artery disease (CAD), in peripheral vascular disease, 648

Croup, postextubation, postoperative, in children, 326–328

Cushing's syndrome, cancer-related, 874–875

Cytomegalovirus (CMV), AIDS-related, 887 transfusion-related, 504

Dantrolene, for malignant hyperthermia, 382

Dehydration, clinical signs, in children, 339 effect on fluid-electrolyte balance, 278– 279

Delayed awakening, following neurosurgery, PACU care, 360–361

postanesthetic, in children, 344–345Delivery, labor and, epidural anesthesia for, 55–75. See also Labor, and delivery, epidural analgesia for.

vaginal, breech, anesthetic management of, 117-120

complicated, abnormal presentation, 115-120

obstetric management, 116-117 anesthesia for, 115-129

face presentation in, 124-125

multiple gestation, 120-123 anesthesia for, 121-123

retained placenta, 125-126 shoulder dystocia, 123-125

Dermatomes, anterior, 852 posterior, 853

Dextran, in obstetric anesthesia, 14 Diabetes insipidus, following hypophysectomy, 363

Diabetes mellitus, in peripheral vascular disease, preanesthetic assessment, 652– 653

preanesthetic assessment, 633, 709–711 Diabetics, ambulatory surgery in, 806–807

Diarrhea, AIDS-related, 887–888 in gastrointestinal disease, 716

Diazepam (Valium), for reducing labor pain, 50–51

Diazoxide, for pheochromocytoma, 388 Dideoxycytidine, for AIDS, 890

Dihydromorphone, for postoperative pain in the PACU, 252

Dilatation and curettage (D&C), following miscarriage, recovery room care following, 315

Dimenhydrinate, for nausea and vomiting, following outpatient surgery, 415

Disease transmission, through transfusions, 502–509

Disseminated intravascular coagulation, preanesthetic assessment, 737–738

Diuretics, osmotic, as adjuvant to anesthesia for surgery in pregnant patients, 138

Droperidol, for nausea and vomiting, following outpatient surgery, 413–415 for postoperative nausea and vomiting in

children, 341–342

Drug abuse, patients of, contraction of disease from, 840 preanesthetic assessment, 829-842

Drugs, reactions to, as cause of hyperthermia in PACU, 390–392

Dural puncture, epidural analgesia for labor and delivery and, 70-71

Dysrhythmias, preanesthetic assessment, 633

Dystocia, shoulder, complications of, 123–125

obstetric management of, 123-124

Ecbolics, for uterine contractility in postpartum period, 318–319 Echocardiography, in preanesthetic assessment in cardiac disease, 643

Edema, airway, effect of, 327

Elderly, ambulatory surgery in, 806 Electrocardiography, in preanesthetic assessment in cardiac disease, 640–641

Electroconvulsive therapy, patients undergoing, ambulatory surgery in, 807–808

Electrolyte balance, 270-272

problems related to, management, 267– 286. See also Fluid- electrolyte balance.

Electrolyte disorders, gastrointestinal causes of, 717

Electrolytes, abnormalities of, in chronic renal failure, 680-683

Embolization, selective arterial, anesthetic management of, 154

Encephalitis, subacute, AIDS-related, 888
Encephalopathy, uremic, in chronic renal failure, 686

Endarterectomy, carotid, preanesthetic assessment, 795-796

Endocrine disease, preanesthetic assessment, 697-712

Endomyometritis, following cesarean section, 181-182

Endotracheal intubation, in children, 333-334

Enzyme-linked immunosorbent assay (ELISA) test, for AIDS, 191

Enzymes, cardiac, in preanesthetic assessment in cardiac disease, 639

ment in cardiac disease, 639
Ephedrine, for nausea and vomiting, following outpatient surgery, 415

Epinephrine, and local anesthetics, for labor and delivery, 68–69 in obstetric anesthesia, 11–14

Epstein-Barr virus, transfusion-related, 504 Ergot alkaloids, for increasing uterine contractility, 31–32

side effects and complications of, 31–32 Esmolol, for pheochromocytoma, 387 Esophageal disease, preanesthetic assess-

ment, 718

Face, paralysis of, AIDS-related, 888
Fentanyl, for acute pain, 858
for labor pain, 47–48
for pain in PACU, 409
for postcesarean section pain, 162–163
Fertilization in vitro, anesthesia for, 139–
140
Fetal distance appet

Fetal distress, anesthetic management, 754–755

Fetus, circulation in, schematic diagram, 760 effect of anesthesia on, epidural analgesia, 69 local, administered to mother, 16–18

during nonobstetric surgery, 133-137 surgery of, anesthesia for, 139

Fever, cancer-related, 870 definition of, 377-378

Fibrin-forming coagulation cascade, function of, in hemorrhage arrest, 484–487 Fibrinolysis, primary, 490 Fibrinolytic system, testing of, 733–734

Fick equation, 452

Fistula, in gastrointestinal disease, 716

Fluid and electrolyte balance, during anesthesia, in children, 781 anesthesia and, 277

clinical consideration, 274-275

dehydration and, 278-279

effects of trauma and surgery on, 272-273 gastrointestinal losses and, 275-276

gastrointestinal losses and, 2 hyperkalemia and, 281 hypernatremia and, 279 hyperthyroidism and, 277 hypertonic saline for, 283 hypokalemia and, 279—281 hyponatremia and, 279

insensible water loss and, 276-277

management, 267–286 overhydration and, 277–278 TURP syndrome and, 281–282

Fluid balance, 269–270 in chronic renal failure, 679–680 Fluid requirements, baseline, 275

Fluid therapy, postoperative replacement, in children, 338–339

Fresh frozen plasma. See *Plasma*.

Gas, in gastrointestinal disease, 716 Gastroenteritis, uremic, in chronic renal failure, 686–687

Gastrointestinal disease, metabolic abnormalities in, 715–718 preanesthetic assessment, 713–725

aspiration in, 713–715

Gastrointestinal system, anatomic and physiologic differences between children and adults, 767

effect of anesthesia on, in pregnant patients undergoing nonobstetric surgery, 133

Glasgow Coma Scale, 356, 794 Glucocorticoid excess, 706

Head trauma, preanesthetic assessment, 794–795 Headache, preanesthetic assessment, 862 spinal, following cesarean section, 179–180

Heart, physiologic changes in, during pregnancy, 743–745

Heart disease, laboratory studies, 639-643 mortality and morbidity, preoperative prediction, 631-636

patient history, 636-637

physical examination, 637-639

preanesthetic assessment, 631-645 Heart rate, in children, normal values, 336 Heat loss, mechanisms of, 365-366, 379

during surgery, 366–367

Hematologic system, effect of anesthesia on, in pregnant patients undergoing nonobstetric surgery, 133

Hemodilution, normovolemic, acute, 537-538, 545-556

advantages and limitations, 554–556 anesthetic management and monitoring, 554

clinical application, 553-554

definition of, 545

effect on platelets and coagulation factors, 551-553

oxygen blood flow and function during, 549–560

oxygen transport responses to, 549 physiology of, 547–556

rheology of, 547–548 technique of, 546–547

Hemoglobin, preoperative requirements, 471-480

10-gram recommendation, 472-474 current opinion, 476-478

history of, 471-472

for isovolemic anemia, 474–475 recent studies, 475–476

Hemoglobin solution, nonanemic iso-oncotic, 575–581 as oxygen carrier, 570–571

properties of, 571

Hemophilia A, patients with, intraoperative hemorrhage in, 489

Hemorrhage, acute, classification, 818 anesthetic care and, 441–449 following cesarean section, 183–185

intraoperative, in Christmas disease patients, 489–490

in hemophiliaes, 489

during liver transplantation, 441–444 postpartum, extrauterine sources of, 145 persistent, anesthetic management of, 151–154

recovery room care following, 316-317 treatment of, 146-147

in trauma patients, 442 Hemorrhagic disorders, issue on, 441–630 Hemostasis, obstetric, failed, mechanism of, 144–145 normal mechanism of, 143-144

Hemostatic mechanism, anesthetic management, goals of, 738

disorders of, 734-738

evaluation of, 731-734 normal, 727-731

clot lysis in, 730-731

coagulation cascade in, 728-730 testing of, 732-733

platelets in 727-728

vascular integrity of, 727

Hepatitis, non-A, non-B, transfusion-related, 503–504

transfusion-related, 502-504

Hepatitis A, transfusion-related, 502 Hepatitis B, transfusion-related, 502-503

Heroin, abuse of, patients of, anesthetic complications in, 839-840

preanesthetic assessment, 837-839 withdrawal, 839

Heroin-cocaine abuse, preanesthetic assessment, 840

Herpes simplex virus labialis, following intraspinal opiate administration for postcesarean section pain, 167

Hip prosthesis. See *Total hip arthroplasty*. Hodgkin's disease, AIDS-related, 887 Human immunodeficiency virus (HIV).

women infected with, 192

Human immunodeficiency virus (HIV) infection. See also entries under Acquired immunodeficiency syndrome.

and AIDS, 885-886 in pregnancy, 189-192

control of, in obstetrics, 197-198 legal concerns, 199-200

during pregnancy, 193-197 antepartum care, 195-196

effects of disease on pregnancy, 194–

effects of pregnancy on disease, 193-

effects of surgery and anesthesia on, 196–197

intrapartum care, 196 postpartum care, 197

women at risk for, 192-193

Human immunodeficiency virus type 1 (HIV-1), transfusion-related, 504-506

Human immunodeficiency virus type 2 (HIV-2), transfusion-related, 506

Hydrocortisone, for thyroid storm, 385 Hydromorphone, for acute pain, 855, 856 epidural, for postcesarean section pain,

Hydroxyine, for reducing labor pain, 51–52 Hypercalcemia, cancer-related, 870–871 differential diagnosis, 703

Hypercarbia, in PACU, 298-300

Hyperkalemia, in chronic renal failure, 680-682

effect on fluid and electrolyte balance, 281 Hypermagnesemia, in chronic renal failure, 683

Hypernatremia, effect on fluid-electrolyte balance, 279

Hyperparathyroidism, primary, preanesthetic assessment, 702–704

Hyperphosphatemia, in chronic renal failure, 682

Hypertension, in chronic renal failure, 683 in peripheral vascular disease, preanesthetic assessment, 652

preanesthetic assessment, 632-633 in preeclampsia, 95

pregnancy-induced, 95-96

Hyperthermia, definition of, 378 exogenous, 393

malignant, as cause of hyperthermia in PACU, 381-384

neuroleptic malignant syndrome versus, 391–392

in PACU, 377-397 causes, 380-392

> blood and blood products, 392 CNS catastrophe, 392 drug reactions, 390–392 infections, 388–390 malignant hyperthermia, 381–384 pheochromocytoma, 386–388 thyroid storm, 384–386 vomiting and aspiration, 393 diagnosis and treatment, 380–395 differential diagnosis, 393–394

effects on organ systems, 379–380 mechanisms of, 378–379 pathophysiology of, 377–378 treatment of, 394

Hyperthyroidism, causes of, 700 effect on fluid-electrolyte balance, 277 Hypertonic saline, for fluid-electrolyte bal-

Hyperventilation, as adjuvant to anesthesia for surgery in pregnant patients, 138– 139

Hypoaldosteronism, 708

ance, 283

Hypocalcemia, in chronic renal failure, 682 differential diagnosis, 705

Hypocapnia, as adjuvant to anesthesia for surgery in pregnant patients, 138–139

Hypokalemia, effect on fluid-electrolyte balance, 279-281

Hyponatremia, in chronic renal failure, 680 effect on fluid-electrolyte balance, 279

Hypoparathyroidism, preanesthetic assessment, 704-705

Hypophysectomy, PACU care following, 363

Hypotension, controlled, as adjuvant to anesthesia for surgery in pregnant patients, 137-138

epidural analgesia for labor and delivery and, 70

following regional for cesarean section, 174–175

induction methods, 445-446 Hypothalamic-pituitary axis, 698

Hypothalamic-pituitary axis, 698 Hypothermia, as adjuvant to anesthesia for

surgery in pregnant patients, 138 postoperative, anesthetic type and, 367 as cause of coagulopathy, 369–370 as cause of shivering, 368–369 effects on cardiovascular system, 368 etiology, 365–367

in PACU, 365-375

neurologic and metabolic consequences, 370 pathophysiology, 367–370 treatment, 370–374

renal effects, 370 Hypothyroidism, causes of, 701–702 Hypoventilation, following general anesthesia for cesarean section, 176–177

Hypoxemia, in PACU, 293-298

Immunization, to transfusion reactions, 509-510

Immunosuppression, transfusion-related, 510–511

Infant, ambulatory surgery in, 806 postoperative pain relief for, 345–348 premature, postoperative apnea in, 330– 331

Infection, as cause of hyperthermia in PACU, 388–390 in chronic renal failure, 687 following cesarean section, 180–181 urinary tract, following cesarean section,

preanesthetic assessment, 771-773

Informed consent, for transfusions, 527
Isoflurane, for invoking deliberate hypotension, 446

Jehovah's Witness, blood transfusion and, 591–593

medical approach to, **589–607** ethical concerns, 602–603 legal considerations, 593–602 competent adult with dependents,

emergency situation, 599–599 competent adult with no dependents, 594

incompetent patient, 599

minors, elective situation, 601-602 emergency situation, 600-601 pregnant patient, 599-600 religious beliefs of, 589-591

Kaposi's sarcoma, AIDS-related, 887

Ketamine, for reducing labor pain, 52

Kidney, abnormalities of, preanesthetic assessment, in cancer patients, 874 anatomic and physiologic differences between children and adults, 764-765 dysfunction of, detection during preoperative evaluation, 677-678 effects of hypothermia on, 370 physiologic changes in, during pregnancy, 748-749 Kidney disease, preanesthetic assessment, 677-695 Kidney failure, acute, preoperative evaluation, 692-693 AIDS-related, 888-889 chronic, acidosis in, 687-688 anemia in, 684-686 cardiovascular complications in, 683infection in, 687 neurologic complications in, 686 physiologic abnormalities in, 679-683 preoperative evaluation, 689-692 stages of, 678-679

surgical risk in, 688-689

uremic gastroenteritis in, 686-687

Labetalol, for pheochromocytoma, 387-388 Labor, and delivery, anesthesia for, in preeclamptic patients, 106-108 epidural analgesia for, 55-75 cardiovascular effects, 59-60 cardiovascular marker and test dose in. 64-65 catecholamine levels and uterine blood flow in, 57-58 complications of, 70-73 continuous infusion epidurals, 67 decreased dose requirement in the parturient with, 60 effect on maternal oxygen saturation and neonatal acid-base, 58-59 effects on fetus, 69 effects on progress of labor, 60-64 history of, 55-56 local anesthetics, 66 with epinephrine, 68-69 lumbar, 64

opioids, 67-68

in patients with previous spinal surgery, 65-66 physiologic considerations, 57-64 neurologic complications of, 72 pain pathways of, 56-57 pain associated with. See Labor pain. preterm, prevention of, during nonobstetric surgery, 136-137 progression of, effects of epidural anesthesia on, 60-64 systemic analgesia in, 43-54. See also Labor pain. Labor and delivery, breech presentation, anesthetic management, 749-750 premature, tocolytics for, anesthetic management, 750-751 Labor pain, barbiturates for, 50 narcotics for, 45-50 advantages and disadvantages of, 44, 45 patient-controlled, 49-50 paracervical block for, 44 psychoprophylaxis for, 43-44 regional analgesia for, 43-44 tranquilizers for, advantages and disadvantages of, 44 transcutaneous electrical nerve stimulation for, 44 Laryngospasm, definition of, 325 in PACU, 300-301 Left uterine displacement, in cesarean section patients, 79-80 Leukostasis, cancer-related, 870 Levorphanol, for postoperative pain in the PACU. 252 Lidocaine, carbonated, in obstetric anesthesia, 15 for cesarean section, 88 in preeclamptic patients, 108 epinephrine with, in obstetric anesthesia, 11 - 12for labor pain, 66 for pheochromocytoma, 388 plasma concentrations of, 12 Lithium, in psychiatric patients, 807-808 Liver, anatomic and physiologic differences between children and adults, 767 preanesthetic assessment, in heroin abuse patients, 838-839

Liver disease, preanesthetic assessment, 721 - 724Liver function tests, in preanesthetic assessment in cardiac disease, 639 Liver transplantation, blood loss during, 441-444

Lung, physiologic changes in, during pregnancy, 745-746 tumors of, surgery for, preanesthetic as-

sessment, 670-672

Magnesium sulfate, for relaxing the uterus, 37-39

for seizures in eclamptic patients, 101 side effects and complications of, 37–39

Mallampati's classification, 814

Malnutrition, in peripheral vascular disease, preanesthetic assessment, 654-655

Maxillofacial injury, preanesthetic assessment, in multiple trauma victims, 815– 816

Meningitis, bacterial, following cesarean section, 180

Meperidine, for acute pain, 855, 856 for postanesthesia shivering, 372–373 for postcesarean section pain, 163 for postoperative pain in the PACU, 252

for reducing labor pain, 46–47 Metabolism, anatomic and physiologic differences between children and adults,

Methadone, for acute pain, 855

for postoperative pain in the PACU, 252–253

Methylergonovine, for uterine contractility in postpartum period, 319

Metoclopramide, for nausea and vomiting, following outpatient surgery, 413–415

Midazolam, for reducing labor pain, 51 Mineralocorticoid excess, 707

Mitral stenosis, 634

Mitral valve prolapse, preanesthetic assessment, 635-636

Mixed venous oxygen tension, hemoglobin concentration, P_{50} and, 574–575 normalization of, 571–574

Morphine, for acute pain, 855, 856, 857 for postcesarean section pain, 161–165 for postoperative pain in the PACU, 252 for reducing labor pain, 45

Motion sickness, postoperative nausea and vomiting related to, 415

Multiple gestation, anesthesia for, 121-123 complications of, 120-123

Muscle relaxants, in outpatient surgery, 407–408

Muscle spasm, localized, 241

Myasthenia gravis, patients with, surgery for, preanesthetic assessment, 668

Myocardial infarction, in peripheral vascular disease, preanesthetic assessment, 649– 652

previous, preanesthetic assessment, 631-632

Myocarditis, AIDS-related, 889 Myometrium, physiology of, 27-29

Nalbuphine, for pain management in PACU, 409

for postoperative pain in the PACU, 253 for reducing labor pain, 48-49

NaNCO₃, in obstetric anesthesia, 14–15Narcotics, apnea due to, following regional anesthesia for cesarean section, 175–176

epidural, and intrathecal, in obstetric anesthesia, 21

for postcesarean section pain, 162–164 intraspinal, for postcesarean section pain, 160–162

side effects of, 165-167

intrathecal, for postcesarean section pain, 164–165

for labor and delivery, 64-65

for labor pain, 45-50

for pain management in PACU, 408-409

for postcesarean section pain, 159-167 for reducing labor pain, advantages and

disadvantages of, 44, 45 patient-controlled, 49–50

Nausea, following intraspinal opiate administration for postcesarean section pain, 166

Neonates, circulation in, schematic diagram, 761

Nerve impulse(s), transmission of, 1 Nerves, impulse transmission by, 1

sensitivity of, to local anesthetics, during pregnancy, 4–5

Nervous system, of neurosurgical patients, PACU assessment, 359-360

Neuroleptic malignant syndrome, malignant hyperthermia versus, 391–392

Neuropathy, peripheral and autonomic, in chronic renal failure, 686

Neurosurgery, PACU care following, 355–364

cardiovascular, 355-358 for delayed awakening, 360-361

nervous system, 359–360 respiratory, 358–359

for seizures, 360 thermoregulatory, 359

patients of, preanesthetic assessment,

Newborns, medical problems of, obstetric recovery room care for, 319–320 postoperative apnea in, 330–331

Nitroglycerin, for invoking deliberate hypotension, 445

for pheochromocytoma, 388

Nociception, definition of, 237

Nociceptors, in obstetric pain, 157–159 Non-Hodgkin's lymphoma, AIDS-related

Non-Hodgkin's lymphoma, AIDS-related, 887

Nonsteroidal anti-inflammatory drugs (NSAIDs), for postoperative pain in the PACU, 254 Obesity, patients of, ambulatory surgery in,

Obstetric anesthesia, epidural, 55-75

issue on, 1-222

local anesthetics in, pharmacologic aspects of, 1-25. See also Anesthetics, local, in obstetrics. oxytocics, tocolytics, and prostaglandins

in, 27-42

systemic, 43-54

Obstetric pain, origin of, 157-159 postcesarean section, prevention and re-

lief of, 157-172

Obstetric recovery room, 311-322

combined with labor and delivery, 321-

following D&C after miscarriage, 315 newborns with medical problems in, 319-

nurse-patient ratio, 312-314

for patients of cervical suture, 315-316

physical separateness of, 321

postoperative pain relief techniques, 320 for postpartum hemorrhage patients, 316-317

postregional anesthesia follow-up in, 314-315

for toxemia of pregnancy patients, 317-318

Obstetrics, diseases and surgical procedures unique to, 315-318

drugs used in. uterine, 318-319 Operating room, temperature of, 366

Opioids. See Narcotics.

Outpatient surgery, anesthetic techniques, 401-408

PACU following, 399-421 discharge criteria, 416-419 nausea and vomiting in, 410-419 pain management, 408-410 patient selection, 399-401

Overhydration, effect on fluid and electrolyte balance, 277-278

Oxycodone, for acute pain, 855

Oxygen consumption, following transfusion with hemoglobin solution, 570-571

Oxygen delivery, to tissues, 451-469 background information, 451-455 and consumption, 452-453

during normovolemic anemia, 458-459

Oxygen transport, acute normovolemic hemodilution and, 548-549 hemoglobin solution in, 569-571

Oxyhemoglobin dissociation curve, in hemodilution, 550-551

Oxytocics, for increasing uterine contractility, 29-35

side effects and complications of, 30 Oxytocin, for increasing uterine contractility, 29-31

for uterine contractility in postpartum period, 318-319

PACU. See Postanesthesia care unit.

Pain, acute, 849-858

description, 849

cancer-related, causes of, 848

as cause of nausea and vomiting in PACU following outpatient surgery, 412

chronic, 858-862 definition of, 858

definition of, 237

following outpatient surgery, PACU management, 408-410

gate theory of, 844-846 low back, 860-862

causes, 861

model for, 237-238 myofascial, 860

pathways of, 844-846

patients with, history in, 846-847 physical examination in, 847-849 preanesthetic assessment, 843-865

postcesarean section, prevention and relief of. 157-172. See also Postcesarean section pain.

postoperative, acute early, evaluation, 244-248

anesthetic effects, 247-248

in children, regional anesthesia for, 345 - 348

in PACU, 235-265

treatment, 248-260

assessment of response to, 260-262 continuous regional analgesia, 259-

long-range planning, 262-264 narcotics, 250-254

continuous intravenous infusion. 255-256

intraspinal, 257-258

timed parenteral administration,

non-narcotics, 254 PCA, 256-257

problems related to, 261-262

relief of, in obstetric recovery room, 320

surgically induced, 240-244

deep or visceral, 242 incisional, 240-241

localized muscle spasm, 241

positioning, 241-242

sympathetically maintained, 860 unrelated to surgical procedure, 242-244

Pain pathways, of labor and delivery, 56-57 Pain-related behavior, definition of, 237

Pancreatic insufficiency, preanesthetic assessment, 719

Pantazocine, for postoperative pain in the PACU, 253

Paracervical block, for reducing labor pain, 44

Paraneoplastic syndromes, preanesthetic assessment, 871-872

Parasites, transfusion-related, 508-509

Parathyroid gland, preanesthetic assessment, 702–705

Partial thromboplastin time (PTT), in coagulation monitoring, 491

Patient-controlled analgesia (PCA), for postoperative pain in the PACU, 256–257

PCA. See Patient-controlled analgesia.
Pentamidine, for Pneumocystis carinii pneumonia, 890

Pentazocine, for reducing labor pain, 46 Pericardial effusion, cancer-related, preanes-

thetic assessment, 875 Pericardial tamponade, cancer-related, pre-

anesthetic assessment, 875 Pericarditis, in chronic renal failure, 683– 684

Peripheral vascular disease, pathophysiology, 647

preanesthetic assessment, 647-656

anemia, 654 cardiac, 648–652 diabetes mellitus, 652–653 hypertension, 652

malnutrition, 654-655 renal insufficiency, 653

Phenoxybenzamine, for pheochromocytoma, 387

Phentolamine, for pheochromocytoma, 387 Pheochromocytoma, 708–709

as cause of hyperthermia in PACU, 386–388

Placenta, retained, anesthetic management of, 125–126 complications of, 125–126

transfer of drugs across, effects on fetus,

16–18 Plasma, fresh frozen, clinical indications,

612-613 consensus development conferences on,

611-615 effectiveness of, 614

future research concerning, 614–615 for immunodeficiencies, 613

Platelet transfusion, consensus development conferences on, 615–620

future research concerning, 619

indications for, 616-617 risks of, 618-619

Platelets, disorders of, preanesthetic assessment, 734–735

effect of acute hemodilution on, 551-553 function of, in hemorrhage arrest, 482-

in hemostasis, 727-728 testing of, 733

monitoring of, 491

preoperative abnormalities, 487–489 Pneumonia, aspiration, in PACU, 301–303 Pneumocystis carinii, pentamidine for,

Poikilothermia, as cause of postanesthesia hypothermia, 366

Polycythemia, cancer-related, 869–870 POLYSFH-P, efficacy of, 581–584

safety of, 584-586

Positive end-expiratory pressure (PEEP), in mechanically ventilated patients, 290– 291

Postanesthesia care unit (PACU), acute postoperative pain in, in children, 236 treatment, 235–265. See also Pain,

postoperative, in PACU. administration and staffing of, 223–233. See also Administration and staffing,

of PACU. admission and discharge criteria, 229–231 admission physical examination, 227–228

ambulatory surgery, 399–421. See also Outpatient surgery, PACU following. fluid and electrolyte problems in, man-

agement, 267–286 hyperthermia in, 377–397. See also Hy-

perthermia, in PACU. hypothermia in, 365–375. See also Hypo-

thermia, postoperative, in PACU. legal problems in, 423–434 assumption of care, 430–431 delegating authority, 424–425 patient management, 425–429 transference of patient care, 429–430

triage, 431–433 neurosurgical patients in, 355–364. See also Neurosurgery, PACU care fol-

obstetric, 311–322. See also Obstetric recovery room.

pediatric, management, 323–353. See also Children, postanesthetic problems of physical aspects, 231–232

problems of, issue on, 233-440 ventilatory and pulmonary problems in, management, 287-309

Postanesthesia care unit (PACU) record, 231 Postanesthesia score, 230

Postcesarean section pain, opiates for, 159–167

patient-controlled analgesia for, 167–168 prevention and relief of, 157–172

Postdural puncture headache (PDPH), following spinal or epidural anesthesia, 403–404

Posterior cranial fossa, surgery of, PACU care following, 362-363

Postpartum period, complications of, anesthesia for, 143–155 hemorrhage, treatment of, 146–147 preparation for, 145–146 uterine inversion, management, 148 Prazocin, for pheochromocytoma, 387

Prazocin, for pheochromocytoma, 387
Preanesthetic assessment, in AIDS patients,

in ambulatory surgery patients, 801–809 in cancer patients, 867–879

in children, 759–784 in coagulopathies, 727–740

in drug abuse patients, 829-842 in endocrine disease, 697-712

in gastrointestinal disease, 713-725 issue on, 631-912

in multiple trauma victims, 811–827 in neurosurgical patients, 785–799

in obstetric patients, 741-758 in pain patients, 843-865

in peripheral vascular disease, 647-656 in renal disease, 677-695

in respiratory disease, 657-676

Preeclampsia, anesthetic care of patients with, 95–114

for cesarean section, 108–111 for labor and vaginal delivery, 106–108 anesthetic management, 751–754 definition of, 95

etiology of, 96-98 hypertension in, 95

management of, 100–102 monitoring and fluid resuscitation in, 102– 105 pathophysiologic alterations in, 98–100

risk factors for, 95–96 signs and symptoms of, 96 symptoms of, 751–752

Pregnancy, AIDS in, 189-202

anesthesia during, for patients undergoing nonobstetric surgery, 131-142

adjuvant therapies for, 137–139 fetal considerations, 133–137 maternal considerations, 132–133

aspiration in, causes of, 747 critical care during, 203-215

cardiovascular considerations, 203–205 hemodynamic monitoring, 206–210 interpretation of data, 207–210

placement of invasive monitors, 206– 207 mechanical ventilation, 210–212

pulmonary considerations, 210–212 pulmonary management, medications for, 212–213

HIV infection during, 193–197. See also Human

immunodeficiency virus (HIV) infection, during pregnancy. Jehovah's Witness and, medical approach, 599-600

nerve sensitivity to local anesthetics during, 4-5

physiologic changes during, 743–749 cardiovascular, 743–745 central nervous system, 749 gastrointestinal, 746–748 pulmonary, 745–746

renal, 748–749

preanesthetic assessment, **741–758** general considerations, **741–742** obstetric history, **742–743**

regurgitation and aspiration during, factors leading to, 80–82

toxemia of, recovery room care following, 317-318

Preservation, preanesthetic assessment, in cardiac disease, 631–645

Promethazine, for reducing labor pain, 51-52

Propranolol, for thyroid storm, 385 Propylithiouracil, for thyroid storm, 385

Propylithiouracil, for thyroid storm, 385 Prostaglandins, for increasing uterine contractility, 32–35

role in preeclampsia, 97-98 side effects and complications of, 33-35

Protein cascade, dysfunction of, preoperative and intraoperative, 489

function of, in hemorrhage arrest, 484-487

monitoring, 491

Pruritus, following intraspinal opiate administration for postcesarean section pain, 167

Psychological issues, postanesthetic, in children, 344

Psychoprophylaxis, for reducing labor pain, 43–44

Pulmonary fibrosis, chemotherapy related, 876

Pulmonary function tests, in preanesthetic assessment in respiratory disease, 660– 662

Radiant heat source, for postanesthesia shivering, 371-372

Radiation, definition of, 365

Radiography, in preanesthetic assessment in cardiac disease, 639–640

Radiotherapy, cancer-related, side effects of, 877

Rapid Infusion System (RIS), 447 Red blood cell transfusion, perioperative, 620–624

alternatives, 622–623 future research concerning, 623 indications, 620–621 Red blood cell transfusion (Continued) risks, 621-622

Red blood cells, salvaging, with processing, 557-561

Reflex sympathetic dystrophy (RSD), 860 Regurgitation, during pregnancy, factors leading to, 80–82

Renal failure. See Kidney failure.

Renal insufficiency, in peripheral vascular disease, preanesthetic assessment, 653

Renal system, anatomic and physiologic differences between children and adults, 764–765

effect of anesthesia on, in pregnant patients undergoing nonobstetric surgery, 133

Respiration, artificial, weaning from, in PACU, 287–289. See also entries under Ventilation, mechanical.

definition of, 291

physiology of, 291-292

Respiratory depression, following intraspinal opiate administration for postcesarean section pain, 165–166

postoperative, in children, 328-329 Respiratory disorders, in children, preanes-

thetic assessment, 774-776 preanesthetic assessment, laboratory studies, 659

patient history, 658-659

pulmonary function tests, 660-662 surgery for, postoperative complications,

662-669 preanesthetic assessment, 657-676

risk factors, 657–658 types, 669–673 spiratory failure, acute, postoperative, i

Respiratory failure, acute, postoperative, in children, 331–333 pulmonary function and, 291–292

Respiratory function, postanesthetic problems of, 287-309

> in children, 323-334 airway obstruction, 323-326

apnea, 330–331 postextubation croup, 326–328 pulmonary aspiration, 329–330 respiratory depression, 328–329

postoperative, 292-293 complications, 292-303

Respiratory system, anatomic and physiologic differences between children and adults, 763–764

effect of anesthesia on, in pregnant patients undergoing nonobstetric surgery, 132

of neurosurgical patients, PACU assessment, 358-359

preanesthetic assessment, in heroin abuse patients, 837 in multiple trauma victims, 814–816 Retroviruses, transfusion-related, 504-507 Ropivacaine, in obstetric anesthesia, 20-21

Scintigraphy, thallium, in preanesthetic assessment in cardiac disease, 641-642

Scopolamine, as cause of hyperthermia in PACU, 390-391

Seizures, in eclamptic patients, management of, 101

epidural analgesia for labor and delivery and, 70

following neurosurgery, PACU care, 360 Sensory nerve innervation, anterior cutaneous distribution of, 850

posterior cutaneous distribution of, 851 Shivering, postanesthetic, clinical signifi-

cance, 369
hypothermia and, 368–369
meperidine for, 372–373

radiant heat source for, 371–372

Shock, definition of, 816 traumatic, causes, 817

in multiple trauma victims, preanesthetic assessment, 816-819

Smoking, preanesthetic assessment, 636Sodium bicarbonate (NaHCO₃), in obstetric anesthesia, 14–15

Sodium iodide, for thyroid storm, 385 Sodium nitroprusside, hypotension induced with, 445

Soluble fibrin monomer complex, in coagulation monitoring, 492–493

Sonoclot, in coagulation function, 493–494Spinal column, surgery of, PACU care following, 361–362

Spinal cord, surgery of, preanesthetic assessment, 796–798

Spinal cord compression, cancer-related, 872–873

Spinal cord injuries, acute, in multiple trauma victims, 823-824

patients with, surgery for, preanesthetic assessment, 668-669

Spine, cervical, evaluation of, in multiple trauma victims, 822–823

surgery of, blood loss during, 442–445 Spirochetes, transfusion-related, 507–508

Stimulus, noxious, definition of, 237 Stomach, physiologic changes in, during pregnancy, 746–748

preanesthetic assessment, in gastrointestinal disease, 713–715

surgery for, preanesthetic assessment, 670 Succinylcholine, for laryngospasm, in children, 326

Sufentanil, for pain management in PACU,

for postcesarean section pain, 163 Suffering, definition of, 237 Superior vena caval syndrome, cancer-related, preanesthetic assessment, 875 α-Sympathomimetics, for relaxing the

uterus, 35-37

side effects and complications of, 35-37

T-cell lymphotrophic virus, types I and II, transfusion-related, 506-507

Technetium pyrophosphate imaging, in preanesthetic assessment in cardiac disease, 642

Temperature, body. See Body temperature. Teratogenic agents, avoidance of, during nonobstetric surgery, 134-135

Theophylline, in asthma, 667

Thermoregulatory system, of neurosurgical patients, PACU assessment, 359

Thoracic vascular injury, in multiple trauma victims, preanesthetic assessment, 819-

Thrombin time (TT), in coagulation monitoring, 491-492

Thrombocytopenia, during surgery, 488-489 Thromboelastograph (TEG), in coagulation function, 493-494

Thrombophlebitis, septic pelvic, following cesarean section, 182-183

Thyroid function tests, 698

Thyroid gland, preanesthetic assessment, 697-702

Thyroid storm, as cause of hyperthermia in PACU, 384-386

Thyrotropin-releasing hormone (TRH), preanesthetic assessment, 697-702

Thyrotropin-stimulating hormone (TSH), preanesthetic assessment, 697-702

Thyroxine, preanesthetic assessment, 697-Tidal volume, in mechanically ventilated pa-

tients, 290-291 Tissues, oxygen delivery to, 451-469. See

also Oxygen delivery, to tissues. Tocolytics, for premature labor, anesthetic management, 750-751

for relaxing the uterus, 35-39 side effects and complications of, 36

for uterine contractility in postpartum period, 319

Total hip arthroplasty, blood loss during, 442-445 Toxemia, of pregnancy, recovery room care

following, 317-318 Toxicity, cardiac, chemotherapy related, 876-877

Tranquilizers, for reducing labor pain, 50-

advantages and disadvantages of, 44

Transcutaneous electrical nerve stimulation. for postoperative pain in the PACU,

for reducing labor pain, 44

Transfusion, alternatives to, 569-588, 604 appropriateness of, evaluation of, 527-528 autologous, 533-541

blood cell salvage with, 544-545

directed donations, 538 financial benefits, 534

forms of, 533

history, 533

preoperative blood donation, 534-536 consensus development conferences on,

609-625

disease transmission through, 502-509 historical perspective, 544-545 immunosuppression and immunologic pathologies related to, 510-511

informed consent for, 527

Jehovah's Witness and, 591-593

platelet, consensus development conferences on, 615-620. See also Platelet transfusion.

problems related to, 526

reactions related to, immune-mediated, 509-510

red blood cell, perioperative, 620-624. See also Red blood cell transfusion, perioperative.

risks, 501-517

1990s perspective, 563 trends in, 519-531

blood supply safety, 522-523 blood utilization, 524-525

component therapy, 520-522 factors determining, 519-523

future prospects, 528-529

medicine specialty, 520 role of federal government in, 519-520

Transplantation, Jehovah's Witness and, 593 liver, orthotopic, in end-stage liver disease, 723-724

Transurethral resection of the prostate (TURP) syndrome, effect on fluid and electrolyte balance, 281-282

Trauma, blood loss during, 442 effects on fluid and electrolyte balance,

272 - 273head, preanesthetic assessment, 794-795 multiple, victims of, general assessment, 812-813

pre-existing medical problems in, 824-

preanesthetic assessment, 811-827 circulatory system, 816-820 neurologic, 820-824 respiratory system, 814-816

Trauma score, 812-813

Triage, in PACU, legal problems associated with, 431–433

L-3,5,3'-Triiodothyronine, preanesthetic assessment, 697-702

Tuberculosis, AIDS-related, 887

Tumors, intracranial, infratentorial, 788–790 preanesthetic assessment, 785–790 supratentorial, preanesthetic assessment, 785–788

pituitary, preanesthetic assessment, 792-794

TURP syndrome. See Transurethral resection of the prostate syndrome.

Twins, presentations of, variety of, 120-121

Urinary tract, infections of, following cesarean section, 183

injury to, following cesarean section, 185 Uterine cavity, exploration of, and curettage, anesthetic management of, 149–

151 Uterine contractility, in postpartum period, drugs for, 318–319

Uterine inversion, anesthetic management of, 148

Uterine rupture, unrecognized, epidural analgesia for labor and delivery and, 72– 73

Uterus, tone of, physiologic effects of drugs on, 27-42

Vaccination, Jehovah's Witness and, 592-

Valium, for reducing labor pain, 50–51 Valvular heart disease, preanesthetic assessment, 633–634 Vascular diseases, peripheral. See Peripheral vascular disease.

preanesthetic assessment, 790–792 Vascular integrity, disorders of, preanesthetic assessment, 734

Vasculature, function of, in hemorrhage arrest, 482

Vasodilators, direct, for pheochromocytoma, 388

Ventilation, mechanical, in pregnant patients, 210-212

weaning from, in PACU, 287–289 unsuccessful, indicators of, 288 in PACU, management, 289–290, 289–

291
Ventriculography, radionuclide, in preanes-

Ventriculography, radionuclide, in preanesthetic assessment in cardiac disease, 642–643

Viruses, transfusion-related, 502–507 Volume resuscitation, in multiple trauma victims, 819

Vomiting, as cause of hyperthermia in PACU, 393

following outpatient surgery, 410–429 causes, 410–412 motion sickness related to, 415

preoperative history as determinant of, 412 treatment, 413–416

in gastrointestinal disease, 715 postoperative, in children, 341–342 von Willebrand's disease, DDAVP for, 489 preanesthetic assessment, 735

Water loss, insensible, effect on fluid-electrolyte balance, 276–277
 Weight loss, AIDS-related, 887–888

